

# Safety data sheet

## Basojet® PEL 200

Revision date : 2009/04/01  
Version: 2.0

Page: 1/4  
(30088113/SDS\_TEX\_CA/EN)

### 1. Substance/preparation and company identification

Company  
BASF Canada Inc.  
100 Milverton Drive  
Mississauga, ON L5R 4H1, CANADA

24 Hour Emergency Response Information  
CANUTEC (reverse charges): (613) 996-6666  
BASF HOTLINE: (800) 454-COPE (2673)

---

Chemical family: fatty alcohol ethoxylate

---

### 2. Hazardous ingredients

Not WHMIS controlled.

---

### 3. Hazard identification

**Emergency overview**

NO PARTICULAR HAZARDS KNOWN.

**Potential health effects**

**Acute toxicity:**

No reliable data was available concerning acute toxicity. If used as intended, this product is not expected to present a physical or health hazard.

**Irritation:**

Not irritating to eyes and skin.

---

### 4. First-aid measures

**General advice:**

Remove contaminated clothing.

**If inhaled:**

Keep patient calm, remove to fresh air. Assist in breathing if necessary. Consult a physician.

**If on skin:**

Wash affected areas thoroughly with soap and water. Remove contaminated clothing. If irritation develops, seek medical attention.

# Safety data sheet

## Basojet® PEL 200

Revision date : 2009/04/01

Page: 2/4

Version: 2.0

(30088113/SDS\_TEX\_CA/EN)

**If in eyes:**

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

**If swallowed:**

If person is conscious and can swallow, give two glasses of water. Induce vomiting. Immediate medical attention required.

---

### 5. Fire-fighting measures

Flash point: > 100 °C  
Self-ignition temperature: not self-igniting

**Suitable extinguishing media:**

carbon dioxide, dry extinguishing media, water spray, foam

**Protective equipment for fire-fighting:**

Wear a self-contained breathing apparatus.

**Further information:**

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

### 6. Accidental release measures

**Personal precautions:**

Ensure adequate ventilation.

**Environmental precautions:**

Do not empty into drains.

---

### 7. Handling and storage

**Handling**

**General advice:**

Avoid contact with skin and eyes. Ensure thorough ventilation of stores and work areas.

**Storage**

**General advice:**

Keep container tightly closed in a cool, well-ventilated place.

---

### 8. Exposure controls and personal protection

**Personal protective equipment**

**Respiratory protection:**

Wear respiratory protection if ventilation is inadequate.

**Hand protection:**

Chemical resistant protective gloves, Suitable materials, rubber, plastic

**Eye protection:**

Tightly fitting safety goggles (chemical goggles).

# Safety data sheet

## Basojet® PEL 200

Revision date : 2009/04/01

Page: 3/4

Version: 2.0

(30088113/SDS\_TEX\_CA/EN)

### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wash soiled clothing immediately.

## 9. Physical and chemical properties

Form:	liquid	
Odour:	odourless	
Odour threshold:	No data available.	
Colour:	yellow	
pH value:	6.5 - 7.5	( 50 g/l, 20 °C)
Freezing point:	0 °C	
Boiling point:	> 100 °C	( 1,013 hPa)
Density:	1.06 g/cm <sup>3</sup>	( 20 °C)
Solubility in water:		dispersible
Solubility (qualitative):	soluble	
	solvent(s): organic solvents,	

## 10. Stability and reactivity

### Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

### Oxidizing properties:

not fire-propagating

## 11. Toxicological information

### Acute toxicity

#### Oral:

LD50/rat: > 5,000 mg/kg

#### Skin irritation:

rabbit: non-irritant

#### Eye irritation :

rabbit: non-irritant

## 12. Ecological information

*Information on: Fatty acids, tall-oil, ethoxylated*

*Acute and prolonged toxicity to fish:*

*OECD 203; ISO 7346; 84/449/EEC, C.1 static*

*zebra fish/LC50 (96 h): approx. 7.8 mg/l*

*Information on: dipropylene glycol*

*Acute and prolonged toxicity to fish:*

*other static*

*Carassius auratus Salmo sp./LC50 (24 h): > 5,000 mg/l*

-----

# Safety data sheet

## Basojet® PEL 200

Revision date : 2009/04/01

Version: 2.0

Page: 4/4

(30088113/SDS\_TEX\_CA/EN)

---

### 13. Disposal considerations

---

### 14. Transport information

#### Land transport

TDG

Not classified as a dangerous good under transport regulations

#### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

#### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

### 15. Regulatory information

#### Federal Regulations

#### Registration status:

DSL, CA

released / listed

Not WHMIS controlled.

**THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.**

---

### 16. Other information

---

#### Local contact information

BASF Canada Product Safety

prod\_reg@basf.com

Basojet is a registered trademark of BASF Canada or BASF SE

END OF DATA SHEET