

Safety Data Sheet

Basyntan® AN

Revision date : 2013/05/31

Version: 1.0

Page: 1/6

(30045790/SDS_LEA_CA/EN)

1. Product and Company Identification

Company

BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1
CANADA

24 Hour Emergency Response Information

CANUTEC (reverse charges): (613) 996-6666
BASF HOTLINE: (800) 454-COPE (2673)

2. Hazards Identification

Emergency overview

DANGER:
May cause sensitization by skin contact.
Risk of serious damage to eyes.

State of matter: solid
Colour: yellowish
Odour: product specific

Potential health effects**Chronic toxicity:**

Carcinogenicity: Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

Reproductive toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Genotoxicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Signs and symptoms of overexposure:

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

Potential environmental effects**Bioaccumulation / bioconcentration:**

Discharge into the environment must be avoided.

Safety Data Sheet

Basyntan® AN

Revision date : 2013/05/31
Version: 1.0

Page: 2/6
(30045790/SDS_LEA_CA/EN)

3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Hazardous ingredients</u>
117985-54-3	>= 99.0 - <= 100.0 %	P(A-F-MEL-PSUA-U-HSO3NA)

4. First-Aid Measures

General advice:

Immediately remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Flush with copious amounts of water for at least 15 minutes. Consult a physician.

If swallowed:

Rinse mouth thoroughly with water, seek medical attention.

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Flammability: not flammable
Self-ignition temperature: not self-igniting

Suitable extinguishing media:

dry powder, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Hazards during fire-fighting:

harmful vapours
Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Personal precautions:

Avoid dust formation. Use personal protective clothing.

Safety Data Sheet

Basyntan® AN

Revision date : 2013/05/31
Version: 1.0

Page: 3/6
(30045790/SDS_LEA_CA/EN)

Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Cleanup:

Avoid raising dust.

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Contain with dust binding material and dispose of.

7. Handling and Storage

Handling

General advice:

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

Avoid dust formation. Take precautionary measures against static discharges.

Storage

General advice:

Keep container tightly closed and dry; store in a cool place.

Avoid all sources of ignition: heat, sparks, open flame.

8. Exposure Controls and Personal Protection

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Impermeable protective clothing

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	powder	
Odour:	product specific	
Odour threshold:	No data available.	
Colour:	yellowish	
pH value:	3.5 - 4.0	(100 g/l, 20 °C)
Melting temperature:	> 150 °C	
Bulk density:	approx. 500 kg/m ³	
Partitioning coefficient n-octanol/water (log Pow):		Study scientifically not justified.
Solubility in water:	> 100 g/l	(20 °C)
Miscibility with water:		miscible

Safety Data Sheet

Basyntan® AN

Revision date : 2013/05/31
Version: 1.0

Page: 4/6
(30045790/SDS_LEA_CA/EN)

Solubility (qualitative):	soluble solvent(s): polar solvents,
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

Avoid humidity.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

In spite of the dedusting carried out for reasons of industrial health a dust explosion hazard can not be excluded.

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50
Species: rat
Value: > 5,000 mg/kg

Irritation / corrosion

Skin:

Species: rabbit
Result: non-irritant
Method: OECD Guideline 404

Eye:

Species: rabbit
Result: Risk of serious damage to eyes.
Method: OECD Guideline 405

Sensitization:

Mouse Local Lymph Node Assay (LLNA)
Species: mouse
Result: sensitizing

Aspiration Hazard:

No aspiration hazard expected.

Safety Data Sheet

Basyntan® AN

Revision date : 2013/05/31
Version: 1.0

Page: 5/6
(30045790/SDS_LEA_CA/EN)

12. Ecological Information

Fish

Acute:
Leuciscus idus/LC50 (96 h): > 500 mg/l

Microorganisms

Toxicity to microorganisms:
DEV-L2 activated sludge: > 1,000 mg/l
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Degradability / Persistence

Biological / Abiological Degradation

Test method: OECD Guideline 302 B
Method of analysis: COD reduction
Degree of elimination: 20 - 70 % (28 d)
Evaluation: Moderately/partially eliminated from water.

Other adverse effects:

Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

The packaging must not be re-used. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

Safety Data Sheet

Basyntan® AN

Revision date : 2013/05/31
Version: 1.0

Page: 6/6
(30045790/SDS_LEA_CA/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA released / listed

WHMIS classification: D2B: Materials Causing Other Toxic Effects - Toxic material



THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

16. Other Information

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

SDS Prepared by:

BASF NA Product Regulations
msds@basf.com
BASF HOTLINE (800) 454 – COPE (2673)
SDS Prepared on: 2013/05/31

Basyntan® AN is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET